

Benson

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	299	"4321436" "4288768" "4538039" "4421962" "4495390" "4499350" "5476030" "5689397" "5837954" "5894395" "4293747" "4359038" "4433221" "4454490" "4524257" "4612528" "4814739" "5363076" "5539167" "5644283" "5663544" "5793278" "5859579" "4256941" "4292611" "4408173" "4431904" "4459464" "4467298" "4486635" "4511775" "4513270" "4532392" "4550299" "4553004" "4568806" "4774387" "4806714" "4825182" "4829149" "5184100" "5241745" "5269055" "5304760" "5353188" "5493091" "5502285" "5723839" "5814782" "5905242"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 10:49
2	BRS	L2	1	l1 and (line adj side adj ground)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 10:51
3	BRS	L3	4	l1 and (line adj ground)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 10:55
4	BRS	L4	89	high adj voltage adj breaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 10:56
5	BRS	L5	15	l4 and ground	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 11:37
6	BRS	L6	1112	load same line same contact same breaker\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 11:38
7	BRS	L7	22	l6 same(high adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 12:21
8	BRS	L8	6	"4937698"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 12:50

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	0	contact adj pair same health same breaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 12:51
10	BRS	L10	1	contact adj pair same parameter same breaker	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/27 12:51

Benson

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	51633	switch same timing	USPAT	OR	OFF	2005/01/27 09:47
L2	853	1 same grounded	USPAT	OR	OFF	2005/01/27 09:44
L3	32	2 same (test evaluate testing)	USPAT	OR	OFF	2005/01/27 09:45
L4	5449	contact adj pair	USPAT	OR	OFF	2005/01/27 09:48
L5	50	4 same timer	USPAT	OR	OFF	2005/01/27 09:48
L6	17	5 same (close closure)	USPAT	OR	OFF	2005/01/27 09:57
L7	112	4 same (test tester testing)	USPAT	OR	OFF	2005/01/27 09:52
L8	10	7 same (time timed timer timing)	USPAT	OR	OFF	2005/01/27 09:52
L9	2040	(ground grounded grounding) same line same load same switch	USPAT	OR	OFF	2005/01/27 09:59
L10	251	9 same (safety test testing)	USPAT	OR	OFF	2005/01/27 10:00
L11	66	10 same (contact contacts)	USPAT	OR	OFF	2005/01/27 10:00
L12	17	11 same (ac frequency hz)	USPAT	OR	OFF	2005/01/27 10:03